

VARICELLA-ZOSTER IGG AB SCREEN, SERUM for

VARICELLA ZOSTER VIRUS AB (IGG) ( ) Final, 03/17/2020 1:07pm)

Note to Patient														
Ordering Provider		Performing Lab												
Specimen/Accession ID		Specimen Source												
Specimen Coll. Date	06/17/2020 13:07	Result Status	Final											
Specimen Rec. Date	06/17/2020 13:07	Report Status												
Specimen Reported Date	06/18/2020 17:30													
Report	Result	Ref. Range	Units		Status	Lab								
VARICELLA ZOSTER VIRUS ANTIBODY (IGG)	226.90		index		Final	QUEST DIAGNOSTICS								
<table border="1"> <thead> <tr> <th>Index</th> <th>Interpretation</th> </tr> </thead> <tbody> <tr> <td>&lt;135.00</td> <td>Negative - Antibody not detected</td> </tr> <tr> <td>135.00 - 164.99</td> <td>Equivocal</td> </tr> <tr> <td>&gt; or = 165.00</td> <td>Positive - Antibody detected</td> </tr> </tbody> </table> <p>A positive result indicates that the patient has antibody to VZV but does not differentiate between an active or past infection. The clinical diagnosis must be interpreted in conjunction with the clinical signs and symptoms of the patient. This assay reliably measures immunity due to previous infection but may not be sensitive enough to detect antibodies induced by vaccination. Thus, a negative result in a vaccinated individual does not necessarily indicate susceptibility to VZV infection. A more sensitive test for vaccination-induced immunity is Varicella Zoster Virus Antibody Immunity Screen, ACIF.</p> <p>[AT]</p>							Index	Interpretation	<135.00	Negative - Antibody not detected	135.00 - 164.99	Equivocal	> or = 165.00	Positive - Antibody detected
Index	Interpretation													
<135.00	Negative - Antibody not detected													
135.00 - 164.99	Equivocal													
> or = 165.00	Positive - Antibody detected													
RESULT NOTE														